526 Rec'd PCT/PTO 2,3 JUN 2000

ATTORNEY'S DOCKET NUMBER 1 RAKSMITTAL LETTER TO THE UNITED STATES P65678US0 **DESIGNATED / ELECTED OFFICE (DO/EO/US)** US APPLICATION NO (If kee **CONCERNING A FILING UNDER 35 U.S.C. 371** INTERNATIONAL APPLICATION NO INTERNATIONAL FILING DATE PRIORITY DATE CLAIMED PCT/EP98/08424 **23 DECEMBER 1998 23 DECEMBER 1997** TITLE OF INVENTION **SERINE PROTEINASE INHIBITORS** APPLICANT(S) FOR DO/EO/US FORSSMANN, Wolf-Georg; MAGERT, Hans-Jurgen; STANDKER, Ludger; KREUTZMANN, Peter

Applicant herein submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information.
1. This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.
2. This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.
3. This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).
4. A proper Demand for Internati. Preliminary Examination was made by the 19th month from earliest claimed priority date.
5. A copy of the International Application as filed (35 U.S.C. 371(c)(2))
a. is transmitted herewith (required only if not transmitted by the International Bureau).
b. has been transmitted by the International Bureau.
c. Dis not required, as the application was filed in the United States Receiving Office (RO/US)
6. A translation of the International Application into English (35 U.S.C. 371(c)(2)).
7 Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))
a. are transmitted herewith (required only if not transmitted by the International Bureau).
b. 🔲 have been transmitted by the International Bureau.
c have not been made; however, the time limit for making such amendments has NOT expired.
d. have not been made and will not be made.
8. A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)).
9. An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).
10. A translation of the annexes to the Internatl. Preliminary Examination report under PCT Article 36 (35 U.S.C. 371(c)(5)).
Items 11. to 16. below concern other document(s) or information included:
11. An Information Disclosure Statement under 37 CFR 1.97 and 1.98.
12. An assignment document for recording. A separate cover sheet compliance with 37 CFR 3.28 and 3.31 is included.
13. A FIRST preliminary amendment.
A SECOND or SUBSEQUENT preliminary amendment.
14. A substitute specification.
15. A change of power of attorney and/or address letter.
16. Other items or information:
International Search Report
PCT/IB/304 Form PCT/IB/308 Form
First Page of Publication
International Preliminary Examination Report

		, - , -4,	30 Rec'd PC	I/P	TO 23.	IUN 2000
US APPLICATION NO (If known, see 37 CFR 1.5)		INTERNATIONAL APPLICATION NO PCT/EP98/08424		ATTO	ATTORNEY'S DOCKET NUMBER P65678US0	
UTITUE.						PTO USE ONLY
17. The following fees	are submitted:					
Basic National Fee (37 (CFR 1.492(a)(1)-(5)):					
Internatl. prelim. examina	tion fee paid to USPTO) (37 CFR 1.492 (a) (1)) \$670.00			
No international prelimina (a) (2)) but international s	ary examination fee pai earch fee paid to USP	d to USPTO (37 CFR TO (37 CFR 1.445(a)	. 1.492 (2)) \$760.00			
Neither international preli nor international search fo						
International preliminary ((a) (4)) and all claims sati						
Search Report prepared	by the EPO or JPO (37	CFR 1.492 (a) (5)) .	\$840.00			
	ENTER APPRO	PRIATE BASIC FI	EE AMOUNT =	\$	840.00	
Surcharge of \$130.00 for 20 30 months from	furnishing the oath or om the earliest claimed			\$	130.00	
Claims	Number Filed	Number Extra	Rate		* **	
Total Claims	20 - 20 =	-0-	x \$18.00	\$		
Independent Claims	1 - 3 =	-0-	x \$78.00	\$		
Multiple Dependent Clain	n(s) (if applicable)		+ \$260.00	\$		
		OF ABOVE CALO	CULATIONS =	\$	970.00	
Reduction by 1/2 for filing Entity statement must als			all	\$		
<u>- </u>			SUBTOTAL =	\$ 970.00		
Processing fee of \$130 fo	or furnishing the Englis om the earliest claimed			\$		
		TOTAL NAT	IONAL FEE =	\$ 970.00		
Fee of \$40.00 for recordi Assignment must be acc	ng the enclosed assig ompanied by appropria	nment (37 CFR 1.21)	(h)).	\$		
		TOTAL FEES	ENCLOSED =	\$ 970.00 Amt. to be refunded: \$		
						\$
				Amt. charged: \$		
b. Please charge my D A duplicate copy of	unt of \$ 970.00 Deposit Account No. 00 this sheet is enclosed.	6-1358 in the amount	t of \$ <u></u> to co	set	forth in §1.492 (during the

CUSTOMER NUMBER: 00136

JPH&S 3/95

09/582328 430 Rec'd PCT/PTO 23 JUN 2860

Atty. Dkt. No. P65678US0

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: FORSSMANN, et al.

App. No.: National Stage of PCT/EP98/08424

Filed: 23 December 1998

For: SERINE PROTEASE INHIBITORS

PRELIMINARY AMENDMENT

Assistant Commissioner of Patents Washington, D.C. 20231

Sir:

Prior to calculating the filing fee, please amend the captioned application as follows.

IN THE CLAIMS

Cancel claims 1-20 without prejudice or disclaimer.

Add the following claims.

21. A serine protease inhibitor, characterized by having a domain with four cysteines, and a sequence of 13 amino acids is present between the first and second cysteines, a sequence of 18 amino acids is present between the second and third cysteines, and a sequence of 2 amino acids is present between the third and fourth cysteines.

22. The serine protease inhibitor according to claim 21, characterized in that the sequence of the domain between the first and second cysteines is selected from

HEFQAFMKNGKLF,

SEYRKSRKNGRLF,

DDFKKGERDGDFI,

SEFRDQVRNGTLI,

SAFRPFVRNGRLG,

SEYRHYVRNGRLP,

KEYEKQVRNGRLF,

DEFRRLLQNGKLF,

SQYQNQAKNGILF,

AEYREQMKNGRLS, or

NEYRKLVRNGKLA,

DEFRSQMKNGKLI.

23. The serine protease inhibitor according to claim 21, characterized in that the sequence between the second and third cysteines is selected from

PQDKKFFQSLDGIMFINK,

TRENDPIQGPDGKMHGNT,

TRENDPVLGPDGKTHGNK,

TREHNPVRGPDGKMHGNK,

TRESDPVRGPDGRMHGNK,

TRENDPIEGLDGKIHGNT,

TRENDPIRGPDGKMHGNL,

TRENDPVRGPDGKTHGNK,

TRENDPIQGPDGKVHGNT,

TRESDPVRDADGKSYNNQ, or

TRESDPVRGPDGKTHGNK.

- 24. The serine protease inhibitor according to claim 21, characterized in that the sequence between the third and fourth cysteines of the domain is selected from AT, AL, AM, SM, or TM.
- 25. The serine protease inhibitor according to claim 21, having one of the following formulas:
- R₁-C-HEFQAFMKNGKLF-C-PQDKKFFQSLDGIMFINK-C-AT-C-R₂
- R₁-C-DDFKKGERDGDFI-C-PDYYEAVCGTDGKTYDNR-C-AL-C-R₂
- R₁-C-SAFRPFVRNGRLG-C-TRENDPVLGPDGKTHGNK-C-AM-C-R₂
- R₁-C-KEYEKQVRNGRLF-C-TRESDPVRGPDGRMHGNK-C-AL-C-R₂
- R₁-C-SQYQNQAKNGILF-C-TRENDPIRGPDGKMHGNL-C-SM-C-R₂
- R₁-C-NEYRKLVRNGKLA-C-TRENDPIQGPDGKVHGNT-C-SM-C-R₂

- R₁-C-SEYRKSRKNGRLF-C-TRENDPIQGPDGKMHGNT-C-SM-C-R₂
- R₁-C-SEFRDQVRNGTLI-C-TREHNPVRGPDGKMHGNK-C-AM-C-R₂
- R₁-C-SEYRHYVRNGRLP-C-TRENDPIEGLDGKIHGNT-C-SM-C-R₂
- R₁-C-DEFRRLLQNGKLF-C-TRENDPVRGPDGKTHGNK-C-AM-C-R₂
- R₁-C-AEYREQMKNGRLS-C-TRESDPVRDADGKSYNNQ-C-TM-C-R₂
- R₁-C-DEFRSQMKNGKLI-C-TRESDPVRGPDGKTHGNK-C-TM-C-R₂,
 wherein R₁ is NH₂, an amino acid, or a peptide with up to 1000 amino acids, and
 R₂ is COOH, CONH₂, an amino acid, or a peptide with up to 1000 amino acids.
- 26. The serine protease inhibitor according to claim 21, characterized by containing
- a disulfide bridge between the first and fourth cysteines and/or between the second
 and third cysteines; or
- a disulfide bridge between the first and a fifth cysteine and/or between the second
 and fourth cysteines and/or between the third and a sixth cysteine.
- 27. The serine protease inhibitor according to claim 21, characterized by being a fragment of VAKTI-1 (SEQ. ID. NO. 1) or VAKTI-2 (SEQ. ID. NO. 2).
- 28. The serine protease inhibitor according to claim 27, characterized by being HF 6479 (SEQ. ID. NO. 3) or HF 7665 (SEQ. ID. NO. 4).
- 29. A nucleic acid coding for a serine protease inhibitor according to claim 21.
- 30. A medicament containing
- the serine protease inhibitor according to claim 21,
- a nucleic acid coding for the serine protease inhibitor, or

- the serine protease inhibitor and the nucleic acid coding for the serine protease inhibitor,
 - together with pharmaceutical vehicles.
- 31. The medicament according to claim 30, containing from 0.01 to 1000 mg per kg of body weight of the serine protease inhibitor.
- 32. Method of using the medicament according to claim 30, wherein the medicament is the serine protease inhibitor, for the treatment of acute or chronic cervix inflammations, inflammations of Bartholin's glands and other vaginal regions, tonsillitis, pharyngitis and laryngitis, acute or chronic inflammatory processes accompanied by excessive formation of mucus and the resulting acute emergency situations, postoperative bleeding due to hyperfibrinolysis, and for the prophylaxis of lung emphysema formation in deficiencies of α_1 -proteinase inhibitor.
- 33. Method of using the medicament according to claim 30, wherein the medicament is the nucleic acid coding for the serine protease inhibitor, in gene therapy for the treatment and prophylaxis of acute or chronic cervix inflammations, inflammations of Bartholin's glands and other vaginal regions, tonsillitis, pharyngitis and laryngitis, acute or chronic inflammatory processes accompanied by excessive formation of mucus and the resulting acute emergency situations, postoperative bleeding due to hyperfibrinolysis, and lung emphysema formation in deficiencies of α_1 -proteinase inhibitor.
- 34. Antibodies or antibody fragments against epitopes of the serine protease inhibitor according to claim 21.

- 35. Poly- or oligonucleotides which will hybridize to regions of the cDNA or corresponding RNA under stringent conditions and optionally prevent the expression of coding regions of the genes coding for the serine protease inhibitor according to claim 21.
- **36.** A diagnostic agent containing at least one of the antibodies or antibody fragments according to claim 34.
- 37. A medicament containing the antibodies or antibody fragments according to claim34 in therapeutically effective amounts.
- 38. Method of using the medicament according to claim 37 for the treatment of diseases involving too high an expression of a serine protease inhibitor, characterized by the antibodies or antibody fragments having a domain with four cysteines, and a sequence of 13 amino acids is present between the first and second cysteines, a sequence of 18 amino acids is present between the second and third cysteines, and a sequence of 2 amino acids is present between the third and fourth cysteines.
- 39. DNA coding for the serine protease inhibitor according to claim 21.
- 40. The DNA according to claim 39 having the SEQ. ID. NO. 5 or SEQ. ID. NO. 6.

REMARKS

Claims 21-40 are presented for consideration...

Claims 21-40 correspond to canceled claims 1-20, respectively, revised to eliminate multiple dependencies and to, otherwise, more clearly define the instant invention.

JACOBSON, PRICE, HOLMAN & STERN, PLLC

JACOBSON, PRICE, HOLMAN & STERN, PLLC 400 Seventh Street, N.W. Washington, D.C. 20004 Tel. No.: 202-638-6666 Atty. Dkt. No. P65678US0

WEP/id

R:\HOME\emennillo\June\P65678-PRE

SMB

Serine Protease Inhibitors

The present invention relates to serine protease inhibitors, cDNA coding for serine protease inhibitors, medicaments containing such inhibitors or their coding nucleic acid, use of the compounds according to the invention for the preparation of medicaments for the treatment of various indications, antibodies or antibody fragments against epitopes of the compounds according to the invention, poly- or oligonucleotides which will hybridize to genes of the compounds according to the invention, a diagnostic agent for detecting the compounds according to the invention, and medicaments containing antibodies or poly- or oligonucleotides according to the invention.

Proteolytic processes play an important physiological role in all organisms; a distinction has to be made between non-specific and specific proteolytic reactions. The former include, for example, the digestion of food in the digestive tract by endopeptidases, and the intracellular degradation of used endogenous substances and phagocytosed materials by lysosomal proteases. Specific proteolyses mostly serve for the conversion of a proenzyme to its active form, as in the conversion of trypsinogen to trypsin, and of chymotrypsinogen to chymotrypsin, and in the callicrein-kinin cascades and the blood clotting cascade. Depending on the structure of the reactive site of the proteinases involved, they are classified into the classes of serine proteases (e.g., chymotrypsin, trypsin, elastase and cathepsin G), aspartate proteases (e.g., cathepsin D, cathepsin E and pepsin), cysteine proteases (e.g., cathepsin B, cathepsin H and cathepsin L), and the metallo-proteases (e.g., collagenase and thermolysin).

In order to be able to correct the proteolytic processes which often proceed in a cascade, the organisms is provided with a number of other proteins, the protease inhibitors (for a survey, see Laskowski and Kato, 1980, and Bode and Huber, 1992). Thus, the liver-synthesized human plasma protease inhibitors α_1 -

antichymotrypsin and α_1 -proteinase inhibitors protect the lung tissue from nonspecific attack by the proteinases cathepsin G and elastase from polymorphonuclear lymphocytes. When the balance between proteases and their specific inhibitors is disturbed, pathological effects may arise. For example, an excess ratio of elastase to α_1 -proteinase inhibitor increases the risk of formation of a lung emphysema by a factor of about 20 to 30 in patients with a genetically caused deficiency in this factor as compared to the normal population (Carrel and Owen, 1980). With smokers, the formation of an emphysema is promoted by oxidation of the amino acid methionine which is present in the reactive site of the $\alpha_{\text{1}}\text{-proteinase}$ inhibitor by oxidants contained in cigarette smoke (Miller and Kuschner, 1969; Ohlsson et al., 1980). Also in the case of infection with Gram-negative bacteria, their endotoxins can cause disintegration of phagocytes and thus the secretion of lysosomal proteases, which may cause an uncontrolled damage to tissues and inflammations due to the increased consumption of protease inhibitors. For this reason, certain protease inhibitors have a high therapeutic potential (see, e.g., Fritz, 1980).

It has been the object of the present invention to provide further inhibitors of serine proteases. In addition, the genes or cDNA coding for the inhibitors according to the invention should be provided.

A specific feature of the serine protease inhibitors according to the invention is that the serine protease inhibitor has a domain with four cysteines, and a sequence of 0 to 20 amino acids is present between the first and second cysteines, or the serine protease inhibitor has a domain with six cysteines, and a sequence of 7 to 20 amino acids is present between the first and second cysteines.

Preferably, a sequence of 13 amino acids is present between a first and a second cysteine, and/or a sequence of 18 amino acids is present between a second and a third cysteine, and/or a sequence of 2 amino acids is present between a third and a fourth cysteine.

It is particularly preferred that the sequence between a first and a second cysteine be selected from

HEFQAFMKNGKLF, SEYRKSRKNGRLF, DDFKKGERDGDFI, SEFRDQVRNGTLI, SAFRPFVRNGRLG, SEYRHYVRNGRLP, KEYEKQVRNGRLF, DEFRRLLQNGKLF, SQYQNQAKNGILF, AEYREQMKNGRLS, or NEYRKLVRNGKLA, **DEFRSQMKNGKLI**

and/or the sequence between a second and a third cysteine be selected from

PQDKKFFQSLDGIMFINK, TRENDPIQGPDGKMHGNT, TRENDPVLGPDGKTHGNK, TREHNPVRGPDGKMHGNK, TRESDPVRGPDGRMHGNK, TRENDPIEGLDGKIHGNT, TRENDPIRGPDGKMHGNL, TRENDPVRGPDGKTHGNK, TRENDPIQGPDGKVHGNT, TRESDPVRDADGKSYNNQ, or TRESDPVRGPDGKTHGNK

and/or the sequence between a third and a fourth cysteine be selected from

AT, AL, AM, SM, or TM.

It is particularly preferred that the serine protease inhibitor according to the invention correspond to one of the following formulas:

R₁-C-HEFQAFMKNGKLF-C-PQDKKFFQSLDGIMFINK-C-AT-C-R₂ R_1 -C-DDFKKGERDGDFI-C-PDYYEAVCGTDGKTYDNR-C-AL-C- R_2 R₁-C-SAFRPFVRNGRLG-C-TRENDPVLGPDGKTHGNK-C-AM-C-R₂ R₁-C-KEYEKQVRNGRLF-C-TRESDPVRGPDGRMHGNK-C-AL-C-R₂ R₁-C-SQYQNQAKNGILF-C-TRENDPIRGPDGKMHGNL-C-SM-C-R₂ R₁-C-NEYRKLVRNGKLA-C-TRENDPIQGPDGKVHGNT-C-SM-C-R₂ R_1 -C-SEYRKSRKNGRLF-C-TRENDPIQGPDGKMHGNT-C-SM-C- R_2 $R_1\hbox{-}C\hbox{-}SEFRDQVRNGTLI\hbox{-}C\hbox{-}TREHNPVRGPDGKMHGNK\hbox{-}C\hbox{-}AM\hbox{-}C\hbox{-}R_2$ R_1 -C-SEYRHYVRNGRLP-C-TRENDPIEGLDGKIHGNT-C-SM-C- R_2 R₁-C-DEFRRLLQNGKLF-C-TRENDPVRGPDGKTHGNK-C-AM-C-R₂

R₁-C-AEYREQMKNGRLS-C-TRESDPVRDADGKSYNNQ-C-TM-C-R₂

R₁-C-DEFRSQMKNGKLI-C-TRESDPVRGPDGKTHGNK-C-TM-C-R₂,

wherein R_1 is NH_2 , an amino acid, or a peptide with up to 100 amino acids, and R_2 is COOH, $CONH_2$, an amino acid, or a peptide with up to 100 amino acids.

It is further preferred that the serine protease inhibitor contains one or more disulfide bridges. It is particularly for it to contain a disulfide bridge between the first and fourth cysteines and/or between the second and third cysteines, or to contain a disulfide bridge between the first and fifth cysteines and/or between the second and fourth cysteines and/or between the third and sixth cysteines.

Preferred representatives of the serine protease inhibitors according to the invention are the compounds HF 6479 and HF 7665, and fragments of proteins VAKTI-1 and VAKTI-2 according to Figures 1 and 2.

In addition to the amino acid sequence of the preferred compounds according to the invention, further information about the cDNA coding for the compounds according to the invention can also be seen from Figures 1 to 3. In particular, the corresponding motives and primer-hybridizing sites are indicated.

Compound HF 3479 according to the invention has a mass of 6,479 Ďalton, and that of HF 7665 is 7,665 Dalton; both have been purified from hemofiltrate.

According to the invention, a cDNA coding for the compounds according to the invention, especially a cDNA having the nucleic acid sequence according to Figures 1 to 2, is also claimed.

The compounds according to the invention are useful as medicaments. In this case, they are administered together with pharmaceutically acceptable vehicles.

The medicaments according to the invention containing the protease inhibitors according to the invention are preferably administered in amounts of from 1 to 100 mg/kg of the patient's body weight. As the dosage form, all galenic formulations for peptide active substances may be used. The medicaments containing nucleic

acids according to the invention are preferably administered in amounts of from 0.1 to 100 mg/kg of body weight of a corresponding patient. In this case, the galenic dosage forms which may be used are those which are suitable for the administration of nucleic acids without rendering the nucleic acids ineffective by metabolic influences before they have reached their site of action. For example, liposomes in which the nucleic acids are contained can be employed as a galenic dosage form.

The compounds according to the invention can be used, in particular, for the treatment of acute or chronic cervix inflammations, inflammations of Bartholin's gland or other vaginal regions, tonsillitis, pharyngitis and laryngitis, acute or chronic inflammatory processes accompanied by excessive formation of mucus and the resulting acute emergency situations, postoperative bleedings due to hyperfibrinolysis, and for the prophylaxis of lung emphysema formation in deficiencies of α_1 -proteinase inhibitor.

The compounds according to the invention can be administered in deficiencies of serine protease inhibitors to correct endogenous defects. The nucleic acids may also be used in gene therapy, either directly or coupled to suitable vehicles. Suitable vectors include, in particular, attenuated adenoviruses into which the corresponding genes have been incorporated.

The polypeptides according to the invention, especially VAKTI-I and VAKTI-II, can serve for the preparation of antibodies or antibody fragments. These are simply prepared by the immunization of appropriate mammals. By per se known operations, the antibodies may also be humanized so that such antibodies can also be employed for therapeutic use. Antibodies or antibody fragments can then by employed for the regulation of diseases in which the protease inhibitors are expressed in a pathological way. Also, antisense nucleic acids complementary to the nucleic acids according to the invention may also be employed in therapeutical use in overexpressions of the protease inhibitor genes.

The compounds according to the invention can be easily prepared by per se known methods of peptide or nucleotide synthesis. Preparation of the compounds by genetic engineering is also possible.

Those skilled in the art will recognize that fragments of the polypeptides according to the invention may also be used provided that they retain the inhibitory properties of the serine protease inhibitors. Those skilled in the art know how to find such fragments. Thus, this may be accomplished, for example, by a selected enzymatic cleavage of the compounds according to the invention. Side-chain modified amino acids may also be employed. N- or C-terminally modified polypeptides may also be used. In particular, phosphorylated, glycosylated, methylated, acetylated or similarly modified polypeptides can be employed provided that they do not substantially affect the activity of the serine protease inhibitors.

Derivatives of the nucleic acids according to the invention which have modified triplet structures in accordance with codon usage may also be used. In addition, nucleic acids according to the invention also include those which are more stable towards degradation by nucleases as compared with the native compounds, for example, the corresponding SODN derivatives usually employed in antisense technology to give the antisense structures a more stable design towards enzymatic attack.

Structures homologous to the polypeptides may also be used. In particular, these include polypeptide structures in which amino acids have been exchanged. Thus, for example, conservative amino acid substitutions in highly conserved regions can be considered as follows: any isoleucine, valine and leucine amino acid can be exchanged for any other of these amino acids, aspartate can be exchanged for glutamate and vice versa, glutamine for asparagine and vice versa, serine for threonine and vice versa. Conservative amino acid substitutions in less highly conserved regions can be as follows: Any of the amino acids isoleucine, valine and leucine for any other of these amino acids, aspartate for glutamate and vice versa, glutamine for asparagine and vice versa, serine for threonine and vice versa, glycine for alanine and vice versa, alanine for valine and vice versa, any of the amino acids leucine, isoleucine or valine for methionine, lysine for arginine and

vice versa, either of the amino acids arginine or lysine for either of the amino acids aspartate or glutamate, either of the amino acids arginine or lysine for histidine, glutamine for glutamate and vice versa, and asparagine for aspartate and vice versa.

The mode of action of the peptides according to the invention will be illustrated by the following Example.

Example

Measurement of protease inhibition by HF 7665

Measuring composition:

84 μl measuring buffer (0.1 M HEPES, pH 7.5; 0.5 M NaCl)

1 μl trypsin (1 mg/ml in 1 mM HCl, 20 mM CaCl₂)

5 μ l L-BABNA (6 mg/ml N- α -benzoyl-L-arginine-p-nitroanilide hydrochloride)

10 μ l protease inhibitor (10 μ M or 75 μ g/ml HF 7665 in H₂O)

The reaction was started by adding the chromogenic substrate, and the substrate conversion was followed by a photometer at $\lambda = 405$ nm. After about five minutes, 10 µl of protease inhibitor or the corresponding controls were added and the further course of the absorbance observed.

It could be shown that HF 7665 has an inhibitory effect on trypsin in a final concentration of about 1 μ M or 7.5 μ g/ml. Control experiments with corresponding amounts of BSA (7.5 μ g/ml) and acetonitrile/TFA (0.8% ACN/0.001% TFA) did not show any trypsin inhibition. Further, an inhibitory effect of HF 7665 on chymotrypsin could not be observed in a similar test.

Figure 3 shows that the substrate conversion is reduced by about 30% due to trypsin inhibition after the addition of HF 7665.

SEQUENCE LISTING

- (1) GENERAL INFORMATION:
 - (i) APPLICANT:
 - (A) NAME: Prof. Dr. Wolf-Georg Forssmann
 - (B) STREET: Feodor-Lynen-Str. 31
 - (C) CITY: Hannover
 - (E) COUNTRY: Germany
 - (F) POSTAL CODE: 30625
 - (ii) TITLE OF INVENTION: Serine Protease Inhibitors
 - (iii) NUMBER OF SEQUENCES: 34
 - (iv) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk
 - (B) COMPUTER: IBM PC compatible
 - (C) OPERATING SYSTEM: PC-DOS/MS-DOS
 - (D) SOFTWARE: PatentIn Release #1.0, Version #1.30 (EPO)
- (2) INFORMATION FOR SEQ ID NO: 1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 177 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

Met Lys Ile Ala Thr Val Ser Val Leu Leu Pro Leu Ala Leu Cys Leu 1 $$ 5 $$ 10 $$ 15

Ile Gln Asp Ala Ala Ser Lys Asn Glu Asp Gln Glu Met Cys His Glu 20 25 30

Phe Gln Ala Phe Met Lys Asn Gly Lys Leu Phe Cys Pro Gln Asp Lys 35 40 45

Lys Phe Phe Gln Ser Leu Asp Gly Ile Met Phe Ile Asn Lys Cys Ala 50 55 60

Thr Cys Lys Met Ile Leu Glu Lys Glu Ala Lys Ser Gln Lys Arg Ala 65 70 75 80

Arg His Leu Ala Arg Ala Pro Lys Ala Thr Ala Pro Thr Glu Leu Asn 85 90 95

Cys Asp Asp Phe Lys Lys Gly Glu Arg Asp Gly Asp Phe Ile Cys Pro 100 105 110

Asp Tyr Tyr Glu Ala Val Cys Gly Thr Asp Gly Lys Thr Tyr Asp Asn 115 120 125

Arg Cys Ala Leu Cys Ala Glu Asn Ala Lys Thr Gly Ser Gln Ile Gly 130 135 140

Val Lys Ser Glu Gly Glu Cys Lys Ser Ser Asn Pro Glu Gln Val Arg 145 150 155 160

Ser Ile Val Ser Leu Met Gly Asn Thr Gly Arg Leu Thr Ser Asn Ser 165 170 175

Lys

(2) INFORMATION FOR SEQ ID NO: 2:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 922 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

Met Lys Ile Ala Thr Val Ser Val Leu Leu Pro Leu Ala Leu Cys Leu 1 5 10 15

Ile Gln Asp Ala Ala Ser Lys Asn Glu Asp Gln Glu Met Cys His Glu 20 25 30

Phe Gln Ala Phe Met Lys Asn Gly Lys Leu Phe Cys Pro Gln Asp Lys 35 40 45

Lys Phe Phe Gln Ser Leu Asp Gly Ile Met Phe Ile Asn Lys Cys Ala 50 55 60

Thr Cys Lys Met Ile Leu Glu Lys Glu Ala Lys Ser Gln Lys Arg Ala 65 70 75 80

Arg His Leu Ala Arg Ala Pro Lys Ala Thr Ala Pro Thr Glu Leu Asn 85 90 95

Cys Asp Asp Phe Lys Lys Gly Glu Arg Asp Gly Asp Phe Ile Cys Pro 100 105 110

Asp Tyr Tyr Glu Ala Val Cys Gly Thr Asp Gly Lys Thr Tyr Asp Asn 115 120 125

Arg Cys Ala Leu Cys Ala Glu Asn Ala Lys Thr Gly Ser Gln Ile Gly 130 135 140

Val Lys Ser Glu Gly Glu Cys Lys Ser Ser Asn Pro Glu Gln Asp Val 145 150 155 160

Cys Ser Ala Phe Arg Pro Phe Val Arg Asn Gly Arg Leu Gly Cys Thr
165 170 175

Arg Glu Asn Asp Pro Val Leu Gly Pro Asp Gly Lys Thr His Gly Asn 180 185 190

Lys Cys Ala Met Cys Ala Glu Leu Phe Leu Lys Glu Ala Glu Asn Ala 195 200 205

Lys Arg Glu Gly Glu Thr Arg Ile Arg Arg Asn Ala Glu Lys Asp Phe 210 215 220 -

Cys Lys Glu Tyr Glu Lys Gln Val Arg Asn Gly Arg Leu Phe Cys Thr 225 230 235 240

Arg Glu Ser Asp Pro Val Arg Gly Pro Asp Gly Arg Met His Gly Asn 245 250 255

Lys Cys Ala Leu Cys Ala Glu Ile Phe Lys Arg Arg Phe Ser Glu Glu 260 265 270

Asn Ser Lys Thr Asp Gln Asn Leu Gly Lys Ala Glu Glu Lys Thr Lys 275 280 285

Val Lys Arg Glu Ile Val Lys Leu Cys Ser Gln Tyr Gln Asn Gln Ala 290 295 300

Lys Asn Gly Ile Leu Phe Cys Thr Arg Glu Asn Asp Pro Ile Arg Gly 305 310 315 320

Pro Asp Gly Lys Met His Gly Asn Leu Cys Ser Met Cys Gln Val Tyr \$325\$ \$330 \$35

Phe Gln Ala Glu Asn Glu Glu Lys Lys Lys Ala Glu Ala Arg Ala Arg 340 345 350

Asn Asp Pro Ile Gln Gly Pro Asp Gly Lys Val His Gly Asn Thr Cys 385 390 395 400

Ser Met Cys Glu Val Phe Phe Gln Ala Glu Glu Glu Glu Lys Lys Lys 405 410 415

Lys Glu Gly Glu Ser Arg Asn Lys Arg Gln Ser Lys Ser Thr Ala Ser 420 425 430

Phe Glu Glu Leu Cys Ser Glu Tyr Arg Lys Ser Arg Lys Asn Gly Arg 435 440 445

Leu Phe Cys Thr Arg Glu Asn Asp Pro Ile Gln Gly Pro Asp Gly Lys 450 455 460

Met His Gly Asn Thr Cys Ser Met Cys Glu Ala Phe Phe Gln Glu 465 470 475 480

Glu Arg Ala Arg Ala Lys Ala Lys Arg Glu Ala Ala Lys Glu Ile Cys 485 490 495

Ser Glu Phe Arg Asp Gln Val Arg Asn Gly Thr Leu Ile Cys Thr Arg 500 505 510

Glu His Asn Pro Val Arg Gly Pro Asp Gly Lys Met His Gly Asn Lys 515 520 525

Cys Ala Met Cys Ala Ser Val Phe Lys Leu Glu Glu Glu Lys Lys 530 540

Asn Asp Lys Glu Glu Lys Gly Lys Val Glu Ala Glu Lys Val Lys Arg 545 550 555 560

Glu Ala Val Glu Glu Leu Cys Ser Glu Tyr Arg His Tyr Val Arg Asn 565 570 575

Gly Arg Leu Pro Cys Thr Arg Glu Asn Asp Pro Ile Glu Gly Leu Asp 580 585 590

Gly Lys Ile His Gly Asn Thr Cys Ser Met Cys Glu Ala Phe Phe Gln 595 600 605

Gln Glu Ala Lys Glu Lys Glu Arg Ala Glu Pro Arg Ala Lys Val Lys 610 615 620

Arg Glu Ala Glu Lys Glu Thr Cys Asp Glu Phe Arg Arg Leu Leu Gln 625 630 635 640

Asn Gly Lys Leu Phe Cys Thr Arg Glu Asn Asp Pro Val Arg Gly Pro 645 650 655

Asp Gly Lys Thr His Gly Asn Lys Cys Ala Met Cys Lys Ala Val Phe 660 665 670

Gln Lys Glu Asn Glu Glu Arg Lys Arg Lys Glu Glu Glu Asp Gln Arg 675 680 685

Asn Ala Ala Gly His Gly Ser Ser Gly Gly Gly Gly Asn Thr Gln 690 695 700

Asp Glu Cys Ala Glu Tyr Arg Glu Gln Met Lys Asn Gly Arg Leu Ser 705 710 715 720

Cys Thr Arg Glu Ser Asp Pro Val Arg Asp Ala Asp Gly Lys Ser Tyr
725 730 735

Asn Asn Gln Cys Thr Met Cys Lys Ala Lys Leu Glu Arg Glu Ala Glu 740 745 750

Arg Lys Asn Glu Tyr Ser Arg Ser Arg Ser Asn Gly Thr Gly Ser Glu 755 760 765

Ser Gly Lys Asp Thr Cys Asp Glu Phe Arg Ser Gln Met Lys Asn Gly 770 775 780

Lys Leu Ile Cys Thr Arg Glu Ser Asp Pro Val Arg Gly Pro Asp Gly 785 790 795 800

Lys Thr His Gly Asn Lys Cys Thr Met Cys Lys Glu Lys Leu Glu Arg 805 810 815

Glu Ala Ala Glu Lys Lys Arg Lys Arg Met Lys Thr Gly Ala Ile Gln 820 825 830

Glu Lys Gly Ala Ile Gln Glu Lys Gly Ala Met Thr Lys Arg Ile Cys 835 840 845 -

Val Val Asn Phe Glu Ala Cys Arg Glu Met Glu Ser Leu Ser Ala Pro 850 855 860

Glu Lys Ile Thr Leu Phe Glu Ala His Met Ala Arg Cys Thr Ser Ile 865 870 875 880

Asn Val Leu Cys Val Arg Ala Ser Leu Ile Glu Lys Leu Met Lys Glu 885 890 895

Lys Arg Lys Met Lys Arg Asn Gln Val Ala Ser Pro Gln Ile Met Gln 900 905 910

Arg Met Ser Ala Val Asn Phe Glu Thr Ile 915 920

(2) INFORMATION FOR SEQ ID NO: 3:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 55 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

Lys Asn Glu Asp Gln Glu Met Cys His Glu Phe Gln Ala Phe Met Lys
1 5 10 15

Asn Gly Lys Leu Phe Cys Pro Gln Asp Lys Lys Phe Phe Gln Ser Leu 20 25 30

Asp Gly Ile Met Phe Ile Asn Lys Cys Ala Thr Cys Lys Met Ile Leu 35 40 45

Glu Lys Glu Ala Lys Ser Gln 50 55

(2) INFORMATION FOR SEQ ID NO: 4:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 68 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:

Glu Ser Gly Lys Ala Thr Ser Tyr Ala Glu Leu Cys Asn Glu Tyr Arg
1 5 10 15

Lys Leu Val Arg Asn Gly Lys Leu Ala Cys Thr Arg Glu Asn Asp Pro 20 25 30

Ile Gln Gly Pro Asp Gly Lys Val His Gly Asn Thr Cys Ser Met Cys 35 40 45

Glu Val Phe Phe Gln Ala Glu Glu Glu Lys Lys Lys Glu Gly 50 55 60

Glu Ser Arg Asn

(2) INFORMATION FOR SEQ ID NO: 5:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 748 base pairs

(B) TYPE: nucleotide

(C) STRANDEDNESS: single(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

ATGCATGGAG	TGGACCTGTA	GGCGACTTGC	ATCGTCTTCA	ACATGAAGAT	AGCCACAGTG	60
TCAGTGCTTC	TGCCCTTGGC	TCTTTGCCTC	ATACAAGATG	CTGCCAGTAA	GAATGAAGAT	120
CAGGAAATGT	GCCATGAATT	TCAGGCATTT	ATGAAAAATG	GAAAACTGTT	CTGTCCCCAG	180
GATAAGAAAT	TTTTTCAAAG	TCTTGATGGA	ATAATGTTCA	TCAATAAATG	TGCCACGTGC	240
AAAATGATAC	TGGAAAAAGA	AGCAAAATCA	CAGAAGAGGG	CCAGGCATTT	AGCAAGAGCT	300
CCCAAGGCTA	CTGCCCCAAC	AGAGCTGAAT	TGTGATGATT	TTAAAAAAGG	AGAAAGAGAT	360
GGGGATTTTA	TCTGTCCTGA	TTATTATGAA	GCTGTTTGTG	GCACAGATGG	GAAAACATAT	420
GACAACAGAT	GTGCACTGTG	TGCTGAGAAT	GCGAAAACCG	GGTCCCAAAT	TGGTGTAAAA	480
AGTGAAGGGG	AATGTAAGAG	CAGTAATCCA	GAGCAGGTGA	GGTCAATTGT	CAGCCTGATG	540
GGAAATACTG	GGAGGCTAAC	TTCAAATAGT	AAGTAGGTGC	TGTCCTCTTC	CTTCTTAGGT	600
GGGAGCCTTG	GAAGGAATTA	ATTCTTGCTT	TATGTGAAAT	GGAATACCCA	GTTACTGCCC	660
ACTAATATGA	AAAAGCTAAT	TATAGTCTCT	GAAACTGGAT	CAGATTACTT	TGGTGGTTAA	720
GATCTTTCAA	TCTATTGCTG	CTTTGTAT				748

(2) INFORMATION FOR SEQ ID NO: 6:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 3531 base pairs

(B) TYPE: nucleotide

(C) STRANDEDNESS: single(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: cDNA

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

			•		-	` '
60	AGCCACAGTG	ACATGAAGAT	ATCGTCTTCA	GGCGACTTGC	TGGACCTGTA	ATGCATGGAG
120	GAATGAAGAT	CTGCCAGTAA	ATACAAGATG	TCTTTGCCTC	TGCCCTTGGC	TCAGTGCTTC
180	CTGTCCCCAG	GAAAACTGTT	ATGAAAAATG	TCAGGCATTT	GCCATGAATT	CAGGAAATGT
240	TGCCACGTGC	TCAATAAATG	ATAATGTTCA	TCTTGATGGA	TTTTTCAAAG	GATAAGAAAT
300	AGCAAGAGCT	CCAGGCATTT	CAGAAGAGGG	AGCAAAATCA	TGGAAAAAGA	AAAATGATAC
360	AGAAAGAGAT	TTAAAAAAGG	TGTGATGATT	AGAGCTGAAT	CTGCCCCAAC	CCCAAGGCTA
420	GAAAACATAT	GCACAGATGG	GCTGTTTGTG	TTATTATGAA	TCTGTCCTGA	GGGGATTTTA
480	TGGTGTAAAA	GGTCCCAAAT	GCGAAAACCG	TGCTGAGAAT	GTGCACTGTG	GACAACAGAT
540	TTTTCGGCCC	TATGCAGTGC	GAGCAGGATG	CAGTAATCCA	AATGTAAGAG	AGTGAAGGGG
600	TGGTCCTGAT	ATCCTGTTCT	AGGGAAAATG	TGGATGCACA	ATGGAAGACT	TTTGTTAGAA
660	AGAAGCTGAA	TGTTTTTAAA	TGTGCTGAGC	GTGTGCAATG	ATGGCAATAA	GGGAAGACGC
720	TTTTTGCAAG	CTGAAAAGGA	CGACGAAATG	AACTAGAATT	GAGAGGGTGA	AATGCCAAGC
780	TGATCCAGTC	CACGGGAGAG	CTTTTTTGTA	AAATGGAAGG	AACAAGTGAG	GAATATGAAA
840	AATTTTCAAG	TGTGTGCTGA	AAATGTGCCC	GCATGGCAAC	ACGGCAGGAT	CGTGGCCCTG
900	TGAAGAAAAA	TGGGAAAAGC	GATCAAAATT	CAGTAAAACA	CAGAGGAAAA	CGGCGTTTTT
960	GGCAAAGAAT	ATCAAAATCA	TGCAGTCAAT	TGTGAAACTC	AAAGAGAAAT	ACTAAAGTTA
1020	GAAAATGCAT	GTCCAGATGG	CCTATTCGTG	AGAAAATGAC	TCTGTACCAG	GGAATACTTT
1080	AAAGAAAAAG	AAAATGAAGA	TTCCAAGCAG	TCAAGTCTAC	GTTCCATGTG	GGCAACTTGT
1140	TGCAGAGCTT	CAACCTCATA	TCTGGAAAAG	CAAAAGAGAA	GAGCTAGAAA	GCTGAAGCAC
1200	AGAGAACGAT	CTTGCACCAG	GGAAAACTTG	TGTGAGGAAC	ATCGAAAGCT	TGCAATGAAT

CCTATTCAGG GCCCAGATGG GAAAGTGCAC GGCAACACCT GCTCCATGTG TGAGGTTTTT 1260 TTCCAAGCAG AAGAAGAAGA AAAGAAAAG AAGGAAGGCG AATCAAGAAA CAAAAGACAA 1320 TCTAAGAGTA CAGCTTCCTT TGAGGAGTTG TGTAGTGAAT ACCGCAAATC CAGGAAAAAC 1380 GGACGCTTT TTTGCACCAG AGAGAATGAC CCCATCCAGG GCCCAGATGG GAAAATGCAT 1440 GGCAACACCT GCTCCATGTG TGAGGCCTTC TTTCAACAAG AAGAAAGAGC AAGAGCAAAG 1500 GCTAAAAGAG AAGCTGCAAA GGAAATCTGC AGTGAATTTC GGGACCAAGT GAGGAATGGA 1560 ACACTTATAT GCACCAGGGA GCATAATCCT GTCCGTGGAC CAGATGGCAA AATGCATGGA 1620 AACAAGTGTG CCATGTGTGC CAGTGTGTTC AAACTTGAAG AAGAAGAGAA GAAAAATGAT 1680 AAAGAAGAAA AAGGGAAAGT TGAGGCTGAA AAAGTTAAGA GAGAAGCAGT TCAGGAGCTG 1740 TGCAGTGAAT ATCGTCATTA TGTGAGGAAT GGACGACTCC CCTGTACCAG AGAGAATGAT 1800 CCTATTGAGG GTCTAGATGG GAAAATCCAC GGCAACACCT GCTCCATGTG TGAAGCCTTC 1860 TTCCAGCAAG AAGCAAAAGA AAAAGAAAGA GCTGAACCCA GAGCAAAAGT CAAAAGAGAA 1920 GCTGAAAAGG AGACATGCGA TGAATTTCGG AGACTTTTGC AAAATGGAAA ACTTTTCTGC 1980 ACAAGAGAAA ATGATCCTGT GCGTGGCCCA GATGGCAAGA CCCATGGCAA CAAGTGTGCC 2040 ATGTGTAAGG CAGTCTTCCA GAAAGAAAAT GAGGAAAGAA AGAGGAAAGA AGAGGAAGAT 2100 CAGAGAAATG CTGCAGGACA TGGTTCCAGT GGTGGTGGAG GAGGAAACAC TCAGGACGAA 2160 TGTGCTGAGT ATCGGGAACA AATGAAAAAT GGAAGACTCA GCTGTACTCG GGAGAGTGAT 2220 CCTGTACGTG ATGCTGATGG CAAATCGTAC AACAATCAGT GTACCATGTG TAAAGCAAAA, 2280 TTGGAAAGAG AAGCAGAGA AAAAAATGAG TATTCTCGCT CCAGATCAAA TGGGACTGGA 2340 TCAGAATCAG GGAAGGATAC ATGTGATGAG TTTAGAAGCC AAATGAAAAA TGGAAAACTT 2400 ATCTGCACTC GAGAAAGTGA CCCTGTCCGG GGTCCAGATG GCAAGACACA TGGTAATAAG 2460 TGTACTATGT GTAAGGAAAA ACTGGAAAGG GAAGCAGCTG AAAAAAAAA AAAGAGGATG 2520 AAGACAGGAG CAATACAGGA GAAAGGAGCA ATACAGGAGA AAGGAGCAAT GACAAAGAGG 2580 ATCTGTGTCG TGAATTTCGA AGCATGCAGA GAAATGGAAA GCTTATCTGC ACCAGAGAAA 2640 ATAACCCTGT TCGAGGCCCA TATGGCAAGA TGCACATCAA TAAATGTGCT ATGTGTCAGA 2700 GCATCTTTGA TCGAGAAGCT AATGAAAGAA AAAAGAAAGA TGAAGAGAAA TCAAGTAGCA 2760 AGCCCTCAAA TAATGCAAAG GATGAGTGCA GTGAATTTCG AAACTATATA AGGAACAATG 2820 AACTCATCTG CCCTAGAGAG AATGACCCAG TGCACGGTGC TGATGGAAAG TTCTATACAA 2880 ACAAGTGCTA CATGTGCAGA GCTGTCTTTC TAACAGAAGC TTTGGAAAGG GCAAAGCTTC 2940 AAGAAAAACC ATCCCATGTT AGAGCTTCTC AAGAGGAAGA CAGCCCAGAC TCTTTCAGTT 3000 CTCTGGATTC TGAGATGTGC AAAGACTACC GAGTATTGCC CAGGATAGGC TATCTTTGTC 3060 CAAAGGATTT AAAGCCTGTC TGTGGTGACG ATGGCCAAAC CTACAACAAT CCTTGCATGC 3120 TCTGTCATGA AAACCTGATA CGCCAAACAA ATACACACAT CCGCAGTACA GGGAAGTGTG 3180 AGGAGAGCAG CACCCCAGGA ACCACCGCAG CCAGCATGCC CCCGTTTGAC GAATGACAGG 3240 AAGATTGTTG AAAGCCATGA GGGAAAAAAT AAACCCCAGT TTTGAATCAC CTACCTTCAC 3300 CATCTGTATA TACAAAGAAT TTTTCGGAGC TTGTTTTATT TGCTATAGAA AACAATACAG 3360 AGCTTTTGGG AATGGAATCA CTGATTTTCA GTCTTTTCCA TTTCTTTCCT CCTAGAATCT 3420 GTGATCTGAG GGTATAAAGA CATTTCCACC AAGTTTGAGC CCTCAAAATG TCCTGATTAC 3480 AATGCTGTCT GTCCAACTGC CTGTTCAATA AAAGTAAACT CAGCAGAAAA A 3531

(2) INFORMATION FOR SEQ ID NO: 7:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 7:

His Glu Phe Gln Ala Phe Met Lys Asn Gly Lys Leu Phe 1 5 10

(2) INFORMATION FOR SEQ ID NO: 8:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 8:

Ser Glu Tyr Arg Lys Ser Arg Lys Asn Gly Arg Leu Phe $1 \hspace{1cm} 5 \hspace{1cm} 10$

- (2) INFORMATION FOR SEQ ID NO: 9:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 9:

Asp Asp Phe Lys Lys Gly Glu Arg Asp Gly Asp Phe Ile
1 5 10

- (2) INFORMATION FOR SEQ ID NO: 10:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 10:

Ser Glu Phe Arg Asp Gln Val Arg Asn Gly Thr Leu Ile

5 10

- (2) INFORMATION FOR SEQ ID NO: 11:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 13 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 11:

Ser Ala Phe Arg Pro Phe Val Arg Asn Gly Arg Leu Gly
1 5 10

(2) INFORMATION FOR SEQ ID NO: 12:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 12:

Ser Glu Tyr Arg His Tyr Val Arg Asn Gly Arg Leu Pro 1 5 10

(2) INFORMATION FOR SEQ ID NO: 13:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 13:

Lys Glu Tyr Glu Lys Gln Val Arg Asn Gly Arg Leu Phe

(2) INFORMATION FOR SEQ ID NO: 14:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 14:

Asp Glu Phe Arg Arg Leu Leu Gln Asn Gly Lys Leu Phe 1 5

(2) INFORMATION FOR SEQ ID NO: 15:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 15:

Ser Gln Tyr Gln Asn Gln Ala Lys Asn Gly Ile Leu Phe 1 5 10

(2) INFORMATION FOR SEQ ID NO: 16:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 16:

Ala Glu Tyr Arg Glu Gln Met Lys Asn Gly Arg Leu Ser 1 5 10

(2) INFORMATION FOR SEQ ID NO: 17:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 17:

Asn Glu Tyr Arg Lys Leu Val Arg Asn Gly Lys Leu Ala 1 5

(2) INFORMATION FOR SEQ ID NO: 18:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 13 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 18:

Asp Glu Phe Arg Ser Gln Met Lys Asn Gly Lys Leu Ile 1 5 10 (2) INFORMATION FOR SEQ ID NO: 19:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 19:

Pro Gln Asp Lys Lys Phe Phe Gln Ser Leu Asp Gly Ile Met Phe Ile
1 5 10 15

Asn Lys

(2) INFORMATION FOR SEQ ID NO: 20:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 20:

Thr Arg Glu Asn Asp Pro Ile Gln Gly Pro Asp Gly Lys Met His Gly
10 15

Asn Thr

(2) INFORMATION FOR SEQ ID NO: 21:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 21:

Thr Arg Glu Asn Asp Pro Val Leu Gly Pro Asp Gly Lys Thr His Gly
1 5 10 15

Asn Lys

(2) INFORMATION FOR SEQ ID NO: 22:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 22:

Thr Arg Glu His Asn Pro Val Arg Gly Pro Asp Gly Lys Met His Gly
1 10 15

Asn Lys

(2) INFORMATION FOR SEQ ID NO: 23:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 23:

Thr Arg Glu Ser Asp Pro Val Arg Gly Pro Asp Gly Arg Met His Gly 1 $$ 5 $$ 10 $$ 15

Asn Lys

(2) INFORMATION FOR SEQ ID NO: 24:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 24:

Thr Arg Glu Asn Asp Pro Ile Glu Gly Leu Asp Gly Lys Ile His Gly
1 5 10 15

Asn Thr

(2) INFORMATION FOR SEQ ID NO: 25:

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 18 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 25:

Thr Arg Glu Asn Asp Pro Ile Arg Gly Pro Asp Gly Lys Met His Gly
1 5 10 15

Asn Leu

(2) INFORMATION FOR SEQ ID NO: 26:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 26:

Thr Arg Glu Asn Asp Pro Val Arg Gly Pro Asp Gly Lys Thr His Gly
1 10 15

Asn Lys

(2) INFORMATION FOR SEQ ID NO: 27:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 27:

Thr Arg Glu Asn Asp Pro Ile Gln Gly Pro Asp Gly Lys Val His Gly

Asn Thr

- (2) INFORMATION FOR SEQ ID NO: 28:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 28:

Thr Arg Glu Ser Asp Pro Val Arg Asp Ala Asp Gly Lys Ser Tyr Asn 1 5 10 15

Asn Gln

- (2) INFORMATION FOR SEQ ID NO: 29:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 18 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 29:

Thr Arg Glu Ser Asp Pro Val Arg Gly Pro Asp Gly Lys Thr His Gly
1 5 10 15

Asn Lys

- (2) INFORMATION FOR SEQ ID NO: 30:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

(ii) MOLECULE TYPE: peptide

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 30:

Ala Thr 1

- (2) INFORMATION FOR SEQ ID NO: 31:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 31:

Ala Leu

- (2) INFORMATION FOR SEQ ID NO: 32:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2 amino acids

(B) TYPE: amino acid

(C) STRANDEDNESS: single

(D) TOPOLOGY: unknown

- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 32:

Ala Met

1

- (2) INFORMATION FOR SEQ ID NO: 33:
 - (i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 2 amino acids

(B) TYPE: amino acid

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: unknown
- (ii) MOLECULE TYPE: peptide
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 33:

Ser Met

- (2) INFORMATION FOR SEQ ID NO: 34:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 2 amino acids
 - (B) TYPE: amino acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: unknown
 - (ii) MOLECULE TYPE: peptide
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 34:

Thr Met 1

CLAIMS:

- A serine protease inhibitor, characterized by having a domain with four cysteines, and a sequence of 13 amino acids is present between the first and second cysteines, a sequence of 18 amino acids is present between the second and third cysteines, and a sequence of 2 amino acids is present between the third and fourth cysteines.
- The serine protease inhibitor according to claim 1, characterized in that the sequence of the domain between the first and second cysteines is selected from

HEFQAFMKNGKLF,
DDFKKGERDGDFI,
SAFRPFVRNGRLG,
KEYEKQVRNGRLF,
SQYQNQAKNGILF,
NEYRKLVRNGKLA,
SEYRKSRKNGRLF,
SEFRDQVRNGTLI,
SEYRHYVRNGRLP,
DEFRRLLQNGKLF,
AEYREQMKNGRLS, or

 The serine protease inhibitor according to any of claims 1 and/or 2, characterized in that the sequence between the second and third cysteines is selected from

PQDKKFFQSLDGIMFINK,
TRENDPVLGPDGKTHGNK,
TRESDPVRGPDGRMHGNK,
TRENDPIRGPDGKMHGNL,
TRENDPIQGPDGKVHGNT,
TRESDPVRGPDGKTHGNK.

TRENDPIQGPDGKMHGNT,
TREHNPVRGPDGKMHGNK,
TRENDPIEGLDGKIHGNT,
TRENDPVRGPDGKTHGNK,
TRESDPVRDADGKSYNNQ, or

4. The serine protease inhibitor according to any of claims 1 to 3, characterized in that the sequence between the third and fourth cysteines of the domain is selected from

AT, AL, AM, SM, or TM.

5. The serine protease inhibitor according to any of claims 1 to 4, having one of the following formulas:

 R_1 -C-HEFQAFMKNGKLF-C-PQDKKFFQSLDGIMFINK-C-AT-C- R_2 R_1 -C-DDFKKGERDGDFI-C-PDYYEAVCGTDGKTYDNR-C-AL-C- R_2 R_1 -C-SAFRPFVRNGRLG-C-TRENDPVLGPDGKTHGNK-C-AM-C- R_2 R_1 -C-KEYEKQVRNGRLF-C-TRESDPVRGPDGRMHGNK-C-AL-C- R_2 R_1 -C-SQYQNQAKNGILF-C-TRENDPIRGPDGKMHGNL-C-SM-C- R_2 R_1 -C-NEYRKLVRNGKLA-C-TRENDPIQGPDGKVHGNT-C-SM-C- R_2 R_1 -C-SEYRKSRKNGRLF-C-TRENDPIQGPDGKMHGNT-C-SM-C- R_2 R_1 -C-SEFRDQVRNGTLI-C-TRENDPIQGPDGKMHGNK-C-AM-C- R_2 R_1 -C-SEYRHYVRNGRLP-C-TRENDPIEGLDGKIHGNT-C-SM-C- R_2 R_1 -C-DEFRRLLQNGKLF-C-TRENDPVRGPDGKTHGNK-C-AM-C- R_2 R_1 -C-DEFRRLLQNGKLF-C-TRESDPVRDADGKSYNNQ-C-TM-C- R_2 R_1 -C-DEFRSQMKNGRLS-C-TRESDPVRGPDGKTHGNK-C-TM-C- R_2

wherein R_1 is NH_2 , an amino acid, or a peptide with up to 1000 amino acids, and R_2 is COOH, CONH₂, an amino acid, or a peptide with up to 1000 amino acids.

- 6. The serine protease inhibitor according to at least one of claims 1 to 5, characterized by containing
 - a disulfide bridge between the first and fourth cysteines and/or between the second and third cysteines; or

- a disulfide bridge between the first and fifth cysteines and/or between the second and fourth cysteines and/or between the third and sixth cysteines.
- 7. The serine protease inhibitor according to at least one of claims 1 to 6, characterized by being a fragment of VAKTI-1 (SEQ. ID. NO. 1) or VAKTI-2 (SEQ. ID. NO. 2).
- 8. The serine protease inhibitor according to claim 7, characterized by being HF 6479 (SEQ. ID. NO. 3) or HF 7665 (SEQ. ID. NO. 4).
- 9. A nucleic acid coding for a serine protease inhibitor according to at least one of claims 1 to 8.
- 10. A medicament containing at least one serine protease inhibitor according to at least one of claims 1 to 8 and/or a nucleic acid according to claim 9, optionally together with pharmaceutical vehicles.
- 11. The medicament according to claim 10, containing from 0.01 to 1000 mg per kg of body weight of the serine protease inhibitor according to at least one of claims 1 to 8 and/or of the nucleic acid according to claim 9.
- 12. Use of the serine protease inhibitor according to at least one of claims 1 to 8 for preparing a medicament for the treatment of acute or chronic cervix inflammations, inflammations of Bartholin's glands and other vaginal regions, tonsillitis, pharyngitis and laryngitis, acute or chronic inflammatory processes accompanied by excessive formation of mucus and the resulting acute emergency situations, postoperative bleedings due to hyperfibrinolysis, and for the prophylaxis of lung emphysema formation in deficiencies of α_1 -proteinase inhibitor.

- 13. Use of the nucleic acids according to claim 9 for preparing a medicament for use in gene therapy for the curing and prophylaxis of diseases as mentioned in claim 12.
- 14. Antibodies or antibody fragments against epitopes of the compounds according to any of claims 1 to 8.
- 15. Poly- or oligonucleotides which will hybridize to regions of the cDNA or corresponding RNA under stringent conditions and optionally prevent the expression of coding regions of the genes coding for the compounds according to claims 1 to 8 (antisense compounds).
- 16. A diagnostic agent containing at least one of the compounds according to claim 14 or 15.
- 17. A medicament containing at least one of the compounds mentioned in claims 14 and/or 15 in therapeutically effective amounts.
- 18. Use of the compounds according to claims 14 and/or 15 for preparing a medicament for the treatment of diseases involving too high an expression of the compounds according to at least one of claims 1 to 8, or too high an activity of the regions coding for the compounds according to claims 1 to 8.
- 19. DNA, coding for the compounds mentioned in claims 1 to 8, and/or RNA involved in the transcription or translation of the compounds mentioned in claims 1 to 8.
- 20. The DNA according to claim 19 having the SEQ. ID. NO. 5 or SEQ. ID. NO. 6.

<u>Abstract</u>

A serine protease inhibitor, characterized by having a domain with four cysteines, and a sequence of 0 to 20 amino acids is present between the first and second cysteines, or the serine protease inhibitor has a domain with six cysteines, and a sequence of 7 to 20 amino acids is present between the first and second cysteines.

Figure 1 VAKTI-1 cDNA and its translation into amino acid sequence

.[]

Frame 2 ATG CAT GGA GTG GAC CTG TAG GCG ACT TGC ATC GTC TTC AAC ATG AAG ATA GCC 19 28 37 46 1----MEMC-1-> T V S V L L P L A L C L I Q D A A S {K N ACA GTG TCA GTG CTT CTG CCC TTG GCT CTT TGC CTC ATA CAA GAT GCT GCC AGT AAG AAT 73 82 91 100 ---MEMC-1---___`> _ -CHEF-1-E D Q E M C H E F Q A F M K N G K L GAA GAT CAG GAA ATG TGC CAT GAA TTT CAG GCA TTT ATG AAA AAT GGA AAA CTG TTC TGT 133 142 151 -CHEF-14----CHEF-11----CCC CAG GAT AAG AAA TTT TTT CAA AGT CTT GAT GGA ATA ATG TTC ATC AAT AAA TGT GCC 193 202 211 220 -CHEF-2-HF6479 <----T C K M I L E K E A K S Q K R A R H L A ACG TGC AAA ATG ATA CTG GAA AAA GAA GCA AAA TCA CAG AAG AGG GCC AGG CAT TTA GCA 253 262 271 280 TRAPKATA PTELNCODFK.KGE AGA GCT CCC AAG GCT ACT GCC CCA ACA GAG CTG AAT TGT GAT GAT TTT AAA AAA GGA GAA 313 322 340 331 R D G D F I C P D Y Y E A V C G T D AGA GAT GGG GAT TTT ATC TGT CCT GAT TAT TAT GAA GCT GTT TGT GGC ACA GAT GGG AAA 364 373 382 · 391 400 TYDNRCALCAENAKTG SQ ACA TAT GAC AAC AGA TGT GCA CTG TGT GCT GAG AAT GCG AAA ACC GGG TCC CAA ATT GGT 424 433 442 451 460 EGECKSSNPE V R GTA AAA AGT GAA GGG GAA TGT AAG AGC AGT AAT CCA GAG CAG GTG AGG TCA ATT GTC AGC 484 493 502 511 520 K STOP N T G R L T S N S CTG ATG GGA AAT ACT GGG AGG CTA ACT TCA AAT AGT AAG TAG GTG CTG TCC TCT TCC TTC 544 553 562 571 580 TTA GGT GGG AGC CTT GGA AGG AAT TAA TTC TTG CTT TAT GTG AAA TGG AAT ACC CAG TTA 613 622 631 640 . . 649 CTG CCC ACT AAT ATG AAA AAG CTA ATT ATA GTC TCT GAA ACT GGA TCA GAT TAC TTT GGT 673 682 691 700 GGT TAA GAT CTT TCA ATC TAT TGC TGC TTT GTA T 724 733 742

	VĂK amii						rans	latio	on ir	nto											
	Frame	e 2	ATG	CAT	GGA 10	GTG	GAC	CTG 19	TAG	GCG	ACT 28	TGC	ATC	GTC 37		AAC	M ATG 46	K AAG	I ATA	A GCC 55	
	T ACA	V GTG	S TCA 64	V GTG	L CTT	L CTG 73	P	L TTG	A GCT 82	L CTT	C TGC	L CTC 91	I ATA	Q CAA	D GAT		A GCC	S	K	HF 6 N AAT	479
						Repe	eat :	l												#	
	E GAA	D GAT	Q CAG 12,4	E GAA	M ATG	C TGC 133	H CAT	E GAA	F TTT 142	Q CAG	A GCA	F TTT 151	M ATG	K AAA	N AAT 160	G GGA	K AAA	L CTG 169	F TTC	C TGT	
	CCC	Q CAG	D GAT 184	K AAG	K AAA	F TTT 193	F TTT	Q CAA	S AGT 202	L CTT	D GAT	G GGA 211	I ATA	M ATG	F TTC 220	I ATC	N AAT	K AAA 229	C	A GCC	
) ()	T ACG	* C TGC	K AAA 244	M ATG	I ATA	L CTG 253	E GAA	K AAA	E GAA 262	A	К	479 S TCA 271	0 1		R AGG 280	A GCC	R AGG	H CAT 289	L TTA	A GCA	
4.C													typi	cal k	(azal	don	nain				
	R AGA	A GCT	P CCC 304	K AAG	A GCT	T ACT 313	A GCC	P CCA	T ACA 322	E GAG	L CTG	N AAT 331	C TGT	D GAT	D GAT 340	F TTT	K AAA	K AAA 349	G GGA	E GAA	
The state of the s	R AGA	D GAT	G GGG 364	D GAT	F TTT		С	P CCT	D GAT 382	Y TAT	Y TAT	E GAA 391	A GCT	V GTT	C.	G GGC	T ACA	D GAT 409	G GGG	K AAA	
		Y TAT	D GAC 424	N AAC	R. AGA		A GCA	L CTG	C. TGT 442		E. GAG	N AAT 451	A GCG	K AAA	T. ACC 460	G GGG	S TCC	Q CAA 469	I ATT	G GGT	
1,11							+										Repe	eat 2	2		
	V GTA	K AAA	S AGT 484		G GGG	E GAA 493	C TGT	K AAG	s AGC 502	s Agt	n AAT	P CCA 511	E GAG		D GAT 520	V GTA	c TGC	S AGT 529	A GCT	F	
)	R CGG	CCC	F TTT 544	V GTT	R AGA	N AAT 553	G GGA	R AGA	L CTT 562		c	T ACA 571			N AAT 580	D GAT	P CCT	V GTT 589	L CTT	G GGT	
	PCCT	D GAT	G GGG 604		_		G GGC			C TGT			C TGT		E GAG 640	L · CTG	F TTT			e gaa	
	A GCT		n Aat 664	GCC	k Aag	R CGA 673							R CGA		n AAT 700	A GCT				F TTT	
	Repe	at:	3				•								#			•			
	C TGC		E GAA 724		E GAA			V GTG	R AGA 742		G GGA	R AGG 751		F TTT	c		R CGG	E GAG 769	S AGT	D GAT	
		V GTC		GGC	P CCT	D GAC 793	GGC	R AGG	M ATG 802	CAT	G GGC	N AAC 811	AAA	c	A GCC 820		C TGT	A GCT 829	e gaa	TÎ ATT	
	f TTC		R CGG 844	CGT	F TTT	S TCA 853	GAG	E GAA	n AAC 862	AGT	K AAA			Q CAA	n AAT 088		G GGA	K AAA 889		E GAA	

												Rep	eat	4					
E GAA	K AAA	т АСТ 904	K AAA	V GTT	K AAA 913	R AGA #	E GAA		V GTG		L CTC 931	C TGC	S AGT	Q CAA 940	Y TAT	_	N AAT 949	Q CAG	A GCA
K AAG	N AAT	G GGA 964	I ATA	L CTT	F TTC 973	C	T	R AGA 982	E GAA	N AAT	D GAC 991			R CGT 1000	G GGT		D GAT 1009	G GGG	K AAA
MATG		G GGC 1024	N AAC		C TGT 1033	S TCC		C TGT 1042	Q CAA					A GCA 1060	E GAA		E GAA 1069	e gaa	K AAG
K AAA		1084		:	R CGA 1093	A GCT		n AAC 1102	K AAA	R AGA	I——> IE GAA 1111	S	G GGA	5 K AAA 1120	A GCA		S TCA L129	Y TAT	a GCA
		Repe	eat S)												#			
E GAG		C TGC	N AAT		Y TAT L153	R CGA	AAG	L CTT L162			N AAC 1171		AAA	L CTT 1180	A GCT		T ACC 189	R AGA	E GAG
N AAC		P CCT 1204	I ATT		G GGC L213	P CCA		G GGG L222	K AAA	GTG	H CAC 1231		AAC	T ACC 1240	TGC		M ATG 249	C TGT	E GAG
V GTT		F TTC 1264	Q CAA		E GAA L273	e gaa		E GAA L282	K AAG					G GGC 1300	E		R	N	K AAA
												Repe	eat (6					
R AGA		S TCT L324	K AAG		T ACA L333	A GCT		F TTT L342	e gag		L TTG 1351	c TGT		E GAA 1360	Y		K AAA 369	S TCC	R AGG
K AAA		G GGA 1384	R CGG		F TTT L393	c		R AGA 1462	E GAG		D GAC 1411	P		Q CAG 1420	G GGC		D GAT 429	G GGG	K AAA
M ATG		G GGC 1444	N AAC		c	S TCC		C TGT L462	E GAG		F TTC 1471	F TTT		Q CAA 1480	E GAA		R AGA 489	a GCA	R AGA
											Repe	eat 7	1						
A GCA		A GCT L504	K AAA		E GAA L513 #	A GCT		K AAG L522	e gaa		C TGC 1531	S AGT		F TTT 1540	R CGG		Q CAA 549	V GTG	R AGG
N AAT		T ACA 1564	L CTT		C TGC L573	T ACC		E GAG L582	H CAT			V GTC		G GGA 1600	P CCA		G GGC 609	K AAA	M ATG
H CAT		N AAC 1624	K AAG	C TGT	A GCC 1633	M ATG		À GCC 1642	s agt		F TTC 1651	K AAA		E GAA 1660	e gaa	GAA	E GAG 669		K AAA
n Aat		K AAA 1684			K AAA 1693	G GGG		V GTT 1702	E GAG		E GAA 1711	K AAA		K AAG 1720	R AGA		A GCA 729	V· GTT	Q CAG
		Rep	eat	В															
E GAG		* C TGC 1744	S AGT		Y TAT 1753	R CGT		Y TAT 1762			N AAT 1771	G GGA		L CTC 1780	CCC		T ACC L789	R AGA	E GAG

* 1 ' Y

N D P I E G L D G K I H G N T C S M C E
AAT GAT CCT ATT GAG GGT CTA GAT GGG AAA ATC CAC GGC AAC ACC TGC TCC ATG TGT GAA 1804 1822 1813 1831 1840 F F O O E A K E K E R A E P R A K V K GCC TTC TTC CAG CAA GAA GCA AAA GAA AAA GAA AGA GCT GAA CCC AGA GCA AAA GTC AAA 1873 1882 1864 1891 1900 - 1909 Repeat 9 R E A E K E T C D E F R R L L Q N G K L AGA GAA GCT GAA AAG GAG ACA TGC GAT GAA TTT CGG AGA CTT TTG CAA AAT GGA AAA CTT 1942 1951 F C T R E N D P V R G P D G K T H G N K TTC TGC ACA AGA GAA AAT GAT CCT GTG CGT GGC CCA GAT GGC AAG ACC CAT GGC AAC AAG 1993 2002 2011 2020 2053 2062 2071 2080 E D Q R N A A G H G S S G G G G N T Q GAA GAT CAG AGA AAT GCT GCA GGA CAT GGT TCC AGT GGT GGT GGA GGA GGA AAC ACT CAG 2104 2113 2122 2131 2140 2149 Repeat 10 D E C A E Y R E Q M K N G R L S 付 GAC GAA TGT GCT GAG TAT CGG GAA CAA ATG AAA AAT GGA AGA CTC AGC TGT ACT CGG GAG 2191 2173 2182 . 2200 AGT GAT CCT GTA CGT GAT GCT GAT GGC AAA TCG TAC AAC AAT CAG TGT ACC ATG TGT AAA 2224 2233 2242 2251 2260 ٠,] A K L E R E A E R K N E Y S R S R G 🟥 GCA AAA TTG GAA AGA GAA GCA GAG AGA AAA AAT GAG TAT TCT CGC TCC AGA TCA AAT GGG 2284 2293 2302 2311 2320 Repeat 11 T G S E S G K D T C D E F R S Q M K N G ACT GGA TCA GAA TCA GGG AAG GAT ACA TGT GAT GAG TTT AGA AGC CAA ATG AAA AAT GGA 2362 2371 2380 K L I C T R E S D P V R G P D G K T H G AAA CTT ATC TGC ACT CGA GAA AGT GAC CCT GTC CGG GGT CCA GAT GGC AAG ACA CAT GGT N K C T M C K E K L E R E A A E K K R K AAT AAG TGT ACT TGT AAG GAA AAA CTG GAA AGG GAA GCA GCT GAA AAA AAA AGA AAG 2473 2482 2491 R M K T G A I O E K G A M AGG ATG AAG ACA GGA GCA ATA CAG GAG AAA GGA GCA ATA CAG GAG AAA GGA GCA ATG ACA 2533 2542 2551 2560 2524 K R I C V V N F E A C R E M E S L S A P AAG AGG ATC TGT GTC GTG AAT TTC GAA GCA TGC AGA GAA ATG GAA AGC TTA TCT GCA CCA

2584 2593 2602 2611 2620 2629

E K I T L F E A H M A R C T S I N V L C GAG AAA ATA ACC CTG TTC GAG GCC CAT ATG GCA AGA TGC ACA TCA ATA AAT GTG CTA TGT 2644 2653 2662 2671 2680 2689

V R A S L I E K L M K E K R K M K R N Q GTC AGA GCA TCT TTG ATC GAG AAG CTA ATG AAA GAA AAA AGA AAG ATG AAG AGA AAT CAA 2704 2713 2722 2731 2740 2749

V A S P Q I M Q R M S A V N F E T I STOP GTA GCA AGC CCT CAA ATA ATG CAA AGG ATG AGT GCA GTG AAT TTC GAA ACT ATA TAA GGA 2764 2773 2782 2791 2800 2809

ACA ATG AAC TCA TCT GCC CTA GAG AGA ATG ACC CAG TGC ACG GTG CTG ATG GAA AGT TCT 2824 2833 2842 2851 2860 2869

ATA CAA ACA AGT GCT ACA TGT GCA GAG CTG TCT TTC TAA CAG AAG CTT TGG AAA GGG CAA 2884 2893 2902 2911 2920 2929

AGC TTC AAG AAA AAC CAT CCC ATG TTA GAG CTT CTC AAG AGG AAG ACA GCC CAG ACT CTT 2944 2953 2962 2971 2980 2989

TCA GTT CTC TGG ATT CTG AGA TGT GCA AAG ACT ACC GAG TAT TGC CCA GGA TAG GCT ATC 3004 3013 3022 3031 3040 3049

TTT GTC CAA AGG ATT TAA AGC CTG TCT GTG GTG ACG ATG GCC AAA CCT ACA ACA ATC CTT 3064 3073 3082 3091 3100 3109

GCA TGC TCT GTC ATG AAA ACC TGA TAC GCC AAA CAA ATA CAC ACA TCC GCA GTA CAG GGA
3124 3133 3142 3151 3160 3169

AGT GTG AGG AGA GCA GCA CCC CAG GAA CCA CCG CAG CCA GCA TGC CCC CGT TTG ACG AAT 3184 3193 3202 3211 3220 3229

GAC AGG AAG ATT GTT GAA AGC CAT GAG GGA AAA AAT AAA CCC CAG TTT TGA ATC ACC TAC 3244 3253 3262 3271 3280 3289

CTT CAC CAT CTG TAT ATA CAA AGA ATT TTT CGG AGC TTG TTT TAT TTG CTA TAG AAA ACA 3304 3313 3322 3331 3340 3349

ATA CAG AGC TTT TGG GAA TGG AAT CAC TGA TTT TCA GTC TTT TCC ATT TCT TTC CTC CTA 3364 3373 3382 3391 3400 3409

GAA TCT GTG ATC TGA GGG TAT AAA GAC ATT TCC ACC AAG TTT GAG CCC TCA AAA TGT CCT 3424 3433 3442 3451 3460 3469

polyadenylation signal


GAT TAC AAT GCT GTC TGT CCA ACT GCC TGT TCA ATA AAA GTA AAC TCA GCA GAA AAA....
3484 3493 3502 3511 3520 3529

.....poly(A) tail

The second

11.1

Figure 3





, DECLARATION							
AND POWER OF ATTORNEY							
U.S.A.							

FOR ATTORNEYS' USE ONLY			-
ATTORNEYS' DOCKET NO.			,
	;-	2 000	
		<u> </u>	

which there I acki	Serir	laimed and for which patent 1e Proteinase d and claimed in: specification									
I here I acki I here foreig	he attached s		X PCT International App								
I here I acki I here foreig	he attached s		X PCT International App		DOE /ED	00/00/04			22 5		100
I here I acki I here foreig		specification							23 D	ecember	199
l acki l here foreig			the specification in a	• •	ai No			filed			
l acki l here foreig			(if applicable) and								
foreig		t I have reviewed and unders e duty to disclose information						amendment	referred to	above	_
		eign priority benefits under T n for patent or inventor's cert						icate listed b	elow and h	have also identif	fied below
Prior	Foreign App	•				mon phoney to olumn	- - -		Priority C	laimed	
1	97, 57	572.2	German	У		23 Decemb	oer 1997	,	х		
(Num	nber)		(Country)	-		(Day/Month/Year I			Yes	No	
1	98 00	363.3	German	У		08 Janua	rv 1998		х	П	
(Num	nber)		(Country)			(Day/Month/Year I	Filed)	_	Yes	No	
									П		
(Num	nber)		(Country)			(Day/Month/Year I	Filed)		Yes	No	
l heri	ehy claim the	e benefit under Title 35, Unite	ad States Code 8110(a) of	ny i Inited Stat	es provisional apr	lication(s) listed helo	145				
٠,	ication No.		Filing Date						Filing Da		
discl	osed in the p	e benefit under Title 35, Unite prior United States applicatio	ed States Code, §120 or an on in the manner provided b	y United States v the first parad	s application(s) list traph of Title 35. L	ed below and, insora nited States Code. &	r as the subject 112. I acknowled	matter of ead	on of the cit to disclose	aims of this app information wh	olication i
to pa	tentability as	defined in Title 37, Code of	Federal Regulations, §1 56	which became	e available betwee	n the filing date of th	e prior application	n and the na	ational or P	CT internationa	I filing da
unse	application										
	(Ap	plication Serial No.)		(Filing	Date)		(Statu	s patented,	pending, a	bandoned)	
NER (OF ATTOR	NEY: As a named inver	ntor, I hereby appoint the	e following at	tornevs (Regist	ation No.) to pros	ecute this app	lication, red	ceive and	act on instruc	ctions fr
nt, and	i transact a	Il business in the Patent	and Trademark Office	connected the	erewith. HARVI	Y B. JACOBSON	, JR. (20,851);	D. DOUGI	LAS PRIC	E_(24,514); J	OHN CL
LMAN.	(22.769): N WILLIAM F	//ARVIN R. STERN <u>(20,6</u> . PLAYER <u>(31,409);</u> YOO	540); ALLEN S. MELSEI ON S. HAM (45.307) and	R (27,215); N	/IICHAELR.SL	OBASKY (2 <u>6,421)</u> :s <i>(</i> 22,772)	; JONATHAN	L. SCHER	ER (29 <u>.8</u>	51); IRWIN M	. AISEN
	···				L A. HOWITHAI						
	SEND CO	RRESPONDENCE TO:	OF CUSTOMER NO. 7001	36			TELEPHONE lease use Atte			(202) 638-66	66
		JACOBSOI	N, PRICE, HOLM	M & STE	RN			·			
			NAL LIMITED LIABILI		Y	J	ACOBSON				
į		40 W	0 SEVENTH STREET, I VASHINGTON, D.C. 20	N.W. 004		l	PROFESSIO	NAL LIMI	ED LIABI	ILITY COMPA	AN Y
			and the same of th			I					
entor(s	s) name mi	ust include at least one u	ınabbreviated first or mi	ddle name.							
FULL	NAME *	FAMILY NAME FORSSMANN		1	N NAME			MIDDLE N	IAME		
	DENCE &	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Wolf-Geo TE OR FOREIG		<u> </u>	COLINED	V 05 017	275101110	
	ZENSHIP	Hannover	_	SIAI	Germany	N COUNTRY	1)£V	COUNTR'	erman		
		POST OFFICE ADDRES	SS	CITY			ISTAT	E OR COL		ZIP CO	DDE
ADI	DRESS	Feodor-Lyner	n-Strasse 31	1	Hannover		1	rmany		D-3	0625
EUL	NIANAE *	E ANAIL MANAGE					00		LANGE	P 3	0023
	. NAME * IVENTOR	FAMILY NAME MAGERT			N NAME Hans-Jür	ion-		MIDDLE N	IAIVIE		
	DENCE &	CITY			TE OR FOREIG		Λ /	COUNTR	Y OF CIT	IZENSHIP	
	ZENSHIP	CITY Hannover		(Germany		XX		erman		
	OFFICE	POST OFFICE ADDRES		CITY	,		STAT	E OR COL	JNTRY	ZIP CC	DDE
	DRESS	Moltkeplatz	8	I	Hannover		Ge	rmany		D-3	0163
		FAMILY NAME	· · · · · · · · · · · · · · · · · · ·	GIVE	N NAME			MIDDLE N	IAME	<u> </u>	
ADI	. NAME *	CHANDADD		_ J	Ludger	-	•				
ADI FULL	. NAME * IVENTOR	STÄNDKER		ISTAT	TE OR FOREIG	N COUNTRY		COUNTR'		IZENSHIP)	\sim 7
FULL OF IN	DENCE &	CITY									` ` '
FULL OF IN RESIL CITIZ	IVENTOR DENCE & ZENSHIP	CITY Hannover		(Germany		[a====		rman	170	デ <u>ナ</u>
FULL OF IN RESIL CITIZ POST	DENCE & ZENSHIP OFFICE	CITY Hannover POST OFFICE ADDRE		CITY	Germany		Ī	E OR COL	INTRY	ZIP CO	
FULL OF IN RESIL CITIZ POST	IVENTOR DENCE & ZENSHIP	CITY Hannover		CITY	Germany		Ī		INTRY	1	ン DDE 0625
FULL OF IN RESII CITIZ POST ADI	DENCE & ZENSHIP OFFICE DRESS	CITY Hannover POST OFFICE ADDRE	eg 25	CITY	Germany Hannover	ents made on infor	G	EORCOL ermany	JNTRY	D-30	0625

DATE

Additional inventors are named on separately numbered sheets attached hereto.

© JPH&S 1995 8/95; 1/00 (COPYING WITHOUT DELETIONS PERMITTED)

ALL PATENTS, INCLUDING DESIGN

the court for the first that may find that 18 Strate St

JACOBSON, PRICE, HOLMAN & STERN

* Inv	entor(s) name must		N, PRICE, HOLMAN & STERN DITIONAL INVENTORS				
	FULL NAME * OF INVENTOR	FAMILY NAME KREUZI MANN	GIVEN NAME Peter	MIDDLE NAME			
204	RESIDENCE & CITIZENSHIP	спү Magdeburg	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP	DEX		
L	POST OFFICE ADDRESS	POST OFFICE ADDRESS Rautenbreite 11	cm Magdeburg	STATE OR COUNTRY Germany	ZIP CODE D-39116		
	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME			
205	RESIDENCE & CITIZENSHIP	СПУ	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP			
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	СПҮ	STATE OR COUNTRY	ZIP CODE		
	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME			
206	RESIDENCE & CITIZENSHIP	СПҮ	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP			
_	POST OFFICE ADDRESS	POST OFFICE ADDRESS	спү	STATE OR COUNTRY	ZIP CODE		
	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME			
207	RESIDENCE & CITIZENSHIP	СПҮ	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP			
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	спу	STATE OR COUNTRY	ZIP CODE		
	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME	<u> </u>		
208	RESIDENCE & CITIZENSHIP	СПҮ	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP			
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	спү	STATE OR COUNTRY	ZIP CODE		
	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME			
209	RESIDENCE & CITIZENSHIP	спу	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP			
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	СПУ	STATE OR COUNTRY	ZIP CODE		
	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME			
210	RESIDENCE & CITIZENSHIP	CITY	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP			
\dashv	POST OFFICE ADDRESS	POST OFFICE ADDRESS	СПҮ	STATE OR COUNTRY	ZIP CODE		
	FULL NAME * OF INVENTOR	FAMILY NAME	GIVEN NAME	MIDDLE NAME			
211	RESIDENCE & CITIZENSHIP	СПҮ	STATE OR FOREIGN COUNTRY	COUNTRY OF CITIZENSHIP			
	POST OFFICE ADDRESS	POST OFFICE ADDRESS	CITY	STATE OR COUNTRY	ZIP CODE		

on information and belief are to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment or both, under section 1001 of Title 18 of the United States Code; and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

	The state of the potential and the state of	
SIGNATURE OF INVENTOR 204	SIGNATURE OF INVENTOR 205*	SIGNATURE OF INVENTOR 206*
1, henra		
DATE 06/15/00	DATE	DATE
SIGNATURE OF INVENTOR 207*	SIGNATURE OF INVENTOR 208*	SIGNATURE OF INVENTOR 209*
DATE	DATE	DATE
SIGNATURE OF INVENTOR 210*	SIGNATURE OF INVENTOR 211*	
DATE	DATE	